

Powering Color Performance... Company-wide.



**Document Solutions** 





### Power and Performance Meet Exceptional Imaging

Created to provide superior functionality to meet the full range of your day-to-day document imaging needs, the TASKalfa 3050ci incorporates robust productivity at 30 ppm black and color, flexible configurations and vibrant image quality. Spectacular color technology and professional finishing options offer you the ability to reduce outsourcing costs by keeping shorter runs of production-quality printed pieces in-house, while an EFI Fiery® Controller option enables you to incorporate the highest level of color output you may require for those special projects. Integrated business applications provide the added power and capabilities to help simplify your document workflow.



the TASKalfa 3050ci delivers. **Enhanced Features Drive Exceptional Functionality** 

> The TASKalfa 3050ci is strong on features and configurations, offering the flexibility to scale your MFP to the specific needs of your office. It's all about feature-rich design with a focus on value and exceptional color functionality.

- Fast processing speeds of 600 MHz, with standard 2 GB of RAM and 160 GB of Hard Disk Drive space support exceptional all-in-one productivity.
- An integrated 10.2" Color Touch-screen Control Panel offers outstanding clarity and easy viewing. Intuitive prompts, on-board help guidance and accessibility display, make programming your jobs from the device quick and effortless.
- The long life technology and 'class leading' drum yields deliver extended preventive maintenance intervals and maximize device "uptime". This adds up to ultra-reliable operation and a low total cost of ownership.
- Kyocera Command Center RX, the MFP's embedded web home page, gives you the remote access you need to check device status, establish system settings, or access stored Document Box files from your desktop.
- Standard connectivity features including standard Gigabit Ethernet, offer seamless integration within virtually any network environment or platform.
- A standard **USB Host Interface** provides convenient print-from or scan-to capabilities for today's 'on the go' workforce in XPS, PDF, JPEG and TIFF.
- The ability to choose between an optional Reversing Automatic **Document Processor** or a **Dual Scan Document Processor** enables super fast scan speeds of up to 100 images per minute.
- The optional 1,000-sheet and 4,000-sheet finishers, both with multiposition staple, provide the professional touch your output deserves, and lets you efficiently handle shorter production runs in-house, optimizing time and minimizing costs.
- Impressive toner yields of 25,000 pages for black and 15,000 pages for each color, allow you to run long print jobs with maximum quality and productivity, while minimizing interruption.

#### Only From Kyocera

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of TASKalfa multifunctional systems and ECOSYS laser printers, products that consistently set the standard for high performance, superior image quality, ease-of-use and durability. Along with a full complement of advanced business applications and networking solutions, Kyocera's robust product line supports your need for maximum productivity at minimal total cost.

Kyocera continually strives to raise the bar for excellence in both products and service for exceptional results you and your business can count on.

## Keeping the Future Green

Kyocera is committed to pursuing a harmonious developing office solutions with environmentally features, without compromising your productivity



# The Power to Take Control of Everyday Tasks and Keep Information Moving

Information is your most important business asset, and you need a 'no holds barred' document imaging system to keep it flowing seamlessly. The TASKalfa 3050ci raises the bar on core functionality with unparalleled efficiency:

- Exceptional print and copy capabilities power your communications via robust paper handling up to 12" x 47" and 110 lb cover, plus a remarkable 7,150 sheet maximum paper capacity for long print runs with minimal interruptions.
- Secure Document Box lets you keep frequently used documents close at hand for hassle free printing, secure file sharing and pin-based Private Print.
- Pre-program and store commonly used copy, scan and print settings at the control panel and the KX Driver to simplify your daily tasks.
- Optional Super G3, LAN Fax and Dual Fax capability adds versatility while leveraging your investment in an MFP.

# Color and Advanced Finishing Brings Professional Output In-House

The TASKalfa 3050ci is the smart choice for businesses who sometimes need to add color to their daily business documents as well as those occasional high-impact pieces. Easily optimize color with precision through the KX Driver's Imaging Tab. Then add the finishing touch with simple options such as staple/hole punch, or more advanced options including booklets and tri-folds

For more graphic-intensive workflows, an optional Fiery® Controller lets you elevate your color to the next level.



## Enhanced MFP Performance... Powered by HyPAS®

Enhance your TASKalfa 3050ci's capability with unique and scalable business applications, *powered by* HyPAS—Kyocera's powerful software development platform. These applications, developed by Kyocera or by our third-party solution partners, allow your business to further optimize your TASKalfa MFPs' "out-of-the-box" performance. Kyocera applications transform your MFP into a powerful resource that suits your existing document imaging and workflow needs today, as well as delivers the flexibility you need for tomorrow.

Kyocera's expanding suite of business applications include:


- **KYOCERA Mobile Print** Simply and conveniently print files, web pages, and images using your smartphone or tablet.
- OpenText RightFax Connector Scan and send documents to the RightFax server directly from TASKalfa MFPs for full fax server integration.
- SharePoint Connector Microsoft SharePoint users can scan documents into their SharePoint folder and libraries to search/ print directly from the TASKalfa MFP control panel.
- Card Authentication Authenticate, Authorize and Track individual MFP usage with the simple swipe of an HID-card.
- DMS Link Connect your TASKalfa MFP to most popular document management systems for document capture and routing.


Visit www.kyoceradocumentsolutions.com to learn more about additional business applications designed to fit your essential needs.

#### Which Configuration is Right for You?

Truly designed with you in mind, the TASKalfa 3050ci brings configuration flexibility to the workplace, allowing

you to customize the MFP to your specific paper handling needs.









Shown with optional 175 sheet DSDP and 500 x 2 sheet paper trays



Shown with optional 175 sheet DSDP 1,500 x 2 sheet paper trays and 1,000 sheet finisher



Shown with optional 175 sheet DSDP, 500 x 2 sheet paper trays and 4,000 sheet finisher



Newly designed, easy-to-use large color touch screen control panel



Hybrid Platform for Advanced Solutions



Basic Specifications Configuration	Color Multifunctional System - Print/Scan/Copy/Optional Fax
Pages Per Minute	Color and Black - Letter: 30 ppm, Legal: 18 ppm, Ledger: 15 ppm, 12" x 18": 15 ppm (print only)
Warm-up Time	25 Seconds or Less (Power On)
First Page Out	Copy: 6.2 Seconds or Less Black, 8.1 Seconds or Less Color; Print: 7.3 Seconds or Less Black, 9.5 Seconds or Less Colors
Resolutions / Bit Depth	600 x 600 dpi; 9600 x 600 dpi interpolated / 8 bit depth
Memory / Hard Disk Drive	2 GB RAM Standard / 160 GB HDD
Duplex	Standard Stackless Duplex Supports Statement to 12" x 18", 16 lb Bond - 120 lb Index (60 – 220gsm)
Standard Output Tray	Statement - 12" x 18" / 250 sheets; up to 12" x 47" Banner/Single Sheet
Electrical Requirements	120V, 60Hz, 12.0A
Dimensions / Weight	26.30" W x 30.20" D x 29.41" H / 251.33 lbs
Max Monthly Duty Cycle	150,000 Pages Per Month
Paper Supply	
Standard Paper Sources	Dual 500 Sheet Trays, 150 Sheet MPT; Auto Selection/Switching
Optional Paper Sources	Dual 500 Sheet Trays (PF-730), Dual 1,500 Sheet Trays (PF-740); 3,000 Sheet Large Capacity Tray (PF-770)
Paper Capacity	Standard: 1,150 Sheets; Maximum: 7,150 Sheets
Paper Size	Trays 1, 2 and <b>PF-730</b> : 5.5" x 8.5" – 12" x 18"; <b>PF-740</b> , <b>PF-770</b> : 8.5" x 11";
-aper Size	MPT: 5.5" x 8.5" – 12" x 18" (Multiple Sheets); Up to 12" x 47" Banner (Single Sheet)
Paper Weight	Trays: 16 lb Bond – 120 lb index (60 – 220gsm); MPT: 16 lb Bond – 110 lb Cover (60 – 300gsm)
nput Materials	Bond Paper, Recycled Paper, Transparencies, Cardstock, Envelopes
Print Specifications	
Standard Controller	IBM PowerPC 750CL / 600 MHz
PDLs / Emulations	PRESCRIBE, PCL6 (5c, XL), KPDL3 (PS3), XPS; Optional: UG-34 IBM ProPrinter, Diablo 630, LQ-850
onts	136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap
Windows OS Compatibility	Windows XP/2003/Vista/2008/7
Novell OS Compatibility	Novell NetWare 3.x/4.x/5.x/6.x
MAC OS Compatibility	Mac OS 10.x
JNIX OS Compatibility	Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)
nterfaces	Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 2 USB Host Interfaces, 2 Expansion
incindoco	Slots Optional: 10/100/1000BaseTX, HI-Speed USB 2.0, 2 USB Host Interfaces, 2 Expansion Slots Optional: 10/100/1000BaseTX (IB-50 for Dual NIC); Wireless LAN IB-51
Notwork Drint and Cunnarted Distant	<u> </u>
Network Print and Supported Protocols	TCP/IP, IPX/SPX, AppleTalk, NetBEUI, IPv6, IPsec, SSL, WSD Print
Orivers	KX Driver, Mini Driver, KX Driver for XPS, XPS Mini Driver, Network Fax Driver, PPD for MAC
<u>Jtilities</u>	PRESCRIBE, PDF Direct Print, KMnet Admin, KMnet Viewer, Kyocera Command Center RX
Scan Specifications	Color and Black & White Scanner
Scan Resolution	200, 300, 400, 600 dpi
File Formats	BW: TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A
PDF Extension	High Compression PDF, Encrypted PDF
Scan Speeds	<b>DP-770:</b> Simplex: 65 ipm BW, 65 ipm Color (300 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi)
odan opecus	<b>DP-771:</b> Simplex: 70 ipm BW, 70 ipm Color (300 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi)
Connectivity / Cumparted Dretecale	10/100/1000BaseTX, TCP/IP
Connectivity / Supported Protocols	
Scanning Functions	Scan to Folder (SMB), Scan to e-Mail, Scan to FTP, Scan to USB, WSD Scan, TWAIN Scan
Original Size	Through DP: Statement to 11" x 17"; Glass: up to 11" x 17"
Oriver	TWAIN/WIA Driver
Copy Specifications	
mage Mode	Text, Photo, Text/Photo, Auto, Manual, Map
Continuous Copy	1 – 999 / Auto Reset to 1
Additional Features	Positive/Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy,
	Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Stamp
Job Management	1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy
Color Adjustment	One Touch, Hue, Auto Exposure, Sharpness
	, , , , , , , , , , , , , , , , , , , ,
Magnification / Zoom	Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 – 400% in 1 step increments
Document Box	Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)
Document Processor	Optional DP-770 or DP-771
Type / Capacity	DP-770: Reversing Automatic Document Processor / 100 Sheets
	<b>DP-771:</b> Dual Scan Document Processor / 175 Sheets
Acceptable Originals	5.5" x 8.5" – 11" x 17"
Acceptable Weights (Simplex / Duplex)	(DP-770) Simplex: 13 lb Bond – 90 lb Index; Duplex 16 – 32 lb Bond
tooptable Weights (emplex / Baplex)	(DP-771) Simplex: 13 lb Bond – 120 lb Index; Duplex: 16 lb Bond – 120 lb Index
Fax Specifications	Fax System (V) / Internet Fax Kit (A) (requires Fax System V)
•	G3 Fax / MMR. MH. JBIG
Compatibility / Data Compression	
ransmission Speed / Modem Speed	Approximately 3 seconds per page / 33.6 Kbps
ax Memory	Standard: 12 MB; Maximum: 120 MB
Oriver	KM Network Fax Driver
Fax Functions	Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax
Optional 1,000 Sheet Finisher	DF-770
Stack / Staple Capacity	Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm))
Paper Size	5.5" x 8.5" – 12" x 18"
	16 lb Bond – 110 lb Cover (60 – 300gsm)
	. 5 . 5 Ed G To ib dovoi (od dobgoti)
Paper Weight	3 Positions: Top Left Bottom Left Center Rind
Paper Weight Edge Staple Position	3 Positions: Top Left, Bottom Left, Center Bind  PH-7A 2 and 3 Hole Purch Unit Supports 8 5" x 11" 11" x 17": 13 lb Rand 110 lb Cover (45 300 cm)
Paper Weight Edge Staple Position Optional Punch	PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 11" x 17"; 13 lb Bond - 110 lb Cover (45 - 300gsm)
Paper Weight Edge Staple Position Optional Punch Optional 4,000 Sheet Finisher	PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm) DF-790
Paper Weight Edge Staple Position Optional Punch Optional 4,000 Sheet Finisher Stack / Staple Capacity	PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm) DF-790 Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsm)
Paper Weight Edge Staple Position Optional Punch Optional 4,000 Sheet Finisher Stack / Staple Capacity Paper Size	PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)  DF-790  Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsm)  5.5" x 8.5" – 12" x 18"
Paper Weight Edge Staple Position Optional Punch Optional 4,000 Sheet Finisher Stack / Staple Capacity Paper Size	PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm) DF-790 Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsm)
Paper Weight Edge Staple Position Optional Punch Optional 4,000 Sheet Finisher Stack / Staple Capacity Paper Size Paper Weight	PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)  DF-790  Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsm)  5.5" x 8.5" – 12" x 18"
Paper Weight Edge Staple Position Dptional Punch Optional 4,000 Sheet Finisher Stack / Staple Capacity Paper Size Paper Weight Edge Staple Position	PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm) DF-790  Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsm) 5.5" x 8.5" – 12" x 18"  16 lb Bond – 110 lb Cover (60 – 300gsm)  3 Positions: Top Left, Bottom Left, Center Bind
Paper Weight Edge Staple Position Dptional Punch Optional 4,000 Sheet Finisher Stack / Staple Capacity Paper Size Paper Weight Edge Staple Position	PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm) DF-790  Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsr 5.5" x 8.5" – 12" x 18"  16 lb Bond – 110 lb Cover (60 – 300gsm)  3 Positions: Top Left, Bottom Left, Center Bind  MT-730 Includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm)
Paper Weight Edge Staple Position Dptional Punch Dptional 4,000 Sheet Finisher Stack / Staple Capacity Paper Size Paper Weight Edge Staple Position Dptional Multi-bin Mailbox	PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)  DF-790  Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsr 5.5" x 8.5" – 12" x 18"  16 lb Bond – 110 lb Cover (60 – 300gsm)  3 Positions: Top Left, Bottom Left, Center Bind  MT-730 Includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm)  Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"
Paper Weight Edge Staple Position Optional Punch Optional 4,000 Sheet Finisher Stack / Staple Capacity Paper Size Paper Weight Edge Staple Position Optional Multi-bin Mailbox Optional Punch	PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)  DF-790  Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsn 5.5" x 8.5" – 12" x 18"  16 lb Bond – 110 lb Cover (60 – 300gsm)  3 Positions: Top Left, Bottom Left, Center Bind  MT-730 Includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm)  Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"  PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 12" x 18"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Paper Weight Edge Staple Position Optional Punch Optional 4,000 Sheet Finisher Stack / Staple Capacity Paper Size Paper Weight Edge Staple Position Optional Multi-bin Mailbox Optional Punch	PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)  DF-790  Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsr 5.5" x 8.5" – 12" x 18"  16 lb Bond – 110 lb Cover (60 – 300gsm)  3 Positions: Top Left, Bottom Left, Center Bind  MT-730 Includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm)  Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11", 50 Sheets: 8.5" x 14", 11" x 17"  PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 12" x 18"; 13 lb Bond – 110 lb Cover (45 – 300gsm)  BF-730 Booklet Folder Supports 8.5" x 11", 8.5" x 14", 11" x 17"; 16 lb Bond – 24 lb Bond (60 – 90gsm)
Paper Weight Edge Staple Position Dptional Punch Dptional 4,000 Sheet Finisher Stack / Staple Capacity Paper Size Paper Weight Edge Staple Position Dptional Multi-bin Mailbox	PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)  DF-790  Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsr 5.5" x 8.5" – 12" x 18"  16 lb Bond – 110 lb Cover (60 – 300gsm)  3 Positions: Top Left, Bottom Left, Center Bind  MT-730 Includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm)  Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"  PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 12" x 18"; 13 lb Bond – 110 lb Cover (45 – 300gsm)  BF-730 Booklet Folder Supports 8.5" x 11", 8.5" x 14", 11" x 17"; 16 lb Bond – 24 lb Bond (60 – 90gsm)  16 sheets; 25 lb Bond – 28 lb Bond (91 – 105gsm) 13 sheets; Fold booklet – no staple: 16 lb Bond – 24 lb Bond
Paper Weight Edge Staple Position Optional Punch Optional 4,000 Sheet Finisher Stack / Staple Capacity Paper Size Paper Weight Edge Staple Position Optional Multi-bin Mailbox Optional Punch	PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm) DF-790  Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsr 5.5" x 8.5" – 12" x 18"  16 lb Bond – 110 lb Cover (60 – 300gsm)  3 Positions: Top Left, Bottom Left, Center Bind  MT-730 Includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm)  Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"  PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 12" x 18"; 13 lb Bond – 110 lb Cover (45 – 300gsm) BF-730 Booklet Folder Supports 8.5" x 11", 8.5" x 14", 11" x 17"; 16 lb Bond – 24 lb Bond (60 – 90gsm) 16 sheets; 25 lb Bond – 28 lb Bond (91 – 105gsm) 13 sheets; Fold booklet – no staple: 16 lb Bond – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 32 lb Bond – 110 lb Cover (121 – 256g
Paper Weight Edge Staple Position Optional Punch Optional 4,000 Sheet Finisher Stack / Staple Capacity Paper Size Paper Weight Edge Staple Position Optional Multi-bin Mailbox Optional Punch	PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm) DF-790  Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsr 5.5" x 8.5" – 12" x 18"  16 lb Bond – 110 lb Cover (60 – 300gsm) 3 Positions: Top Left, Bottom Left, Center Bind  MT-730 Includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm) Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"  PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 12" x 18"; 13 lb Bond – 110 lb Cover (45 – 300gsm) BF-730 Booklet Folder Supports 8.5" x 11", 8.5" x 14", 11" x 17"; 16 lb Bond – 24 lb Bond (60 – 90gsm) 16 sheets; 25 lb Bond – 28 lb Bond (91 – 105gsm) 13 sheets; Fold booklet – no staple: 16 lb Bond – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 25 lb Bond – 110 lb Cover (121 – 256g: 1 sheet; Trifold: 16 lb Bond – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 25 lb Bond – 72 lb
Paper Weight Edge Staple Position Optional Punch Optional 4,000 Sheet Finisher Stack / Staple Capacity Paper Size Paper Weight Edge Staple Position Optional Multi-bin Mailbox Optional Punch	PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)  DF-790  Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsn 5.5" x 8.5" – 12" x 18"  16 lb Bond – 110 lb Cover (60 – 300gsm)  3 Positions: Top Left, Bottom Left, Center Bind  MT-730 Includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm)  Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"  PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 12" x 18"; 13 lb Bond – 110 lb Cover (45 – 300gsm)









